



## PVC CLING FILM (ANTIFOG)



### Product Description:-

We are a leading **PVC Cling Film** Supplier. The PVC Cling Film is manufactured from polyvinyl chloride and is available in various thicknesses, widths, and specifications. The PVC Cling Film possesses various unique features like Hygienic, Vapour Proof, and Anti-static etc. Avail the PVC Cling Film from us at competitive market prices.

### Grades Available:-

- Food grade
- Industrial grade

### Features :-

- Cling Wrap film's overriding brand benefit and promise is freshness
- Useful for wrapping a variety of cooked food, fruits, vegetables, dairy products, sweets, meat, seafood and a whole lot more
- It preserves the moisture and aroma in foods wrapped in it and keeps cooked food, fruits and vegetables fresh and juicy
- Cling Wrap ensures lock tight freshness

- Cling Wrap is a food grade, self-sealing, stretchable and hygienic freshness film for domestic as well as institutional applications
- High rate O2 and CO2 transmission and excellent moisture retention
- Glossy and clear
- Fog-repellent and able to break up water drops to maintain good clarity.
- Cold-resistant and keeping soft even under refrigeration.
- Suitable for both hand and mechanic wrapping due to adequate adhesiveness and elongation.

### Applications :-

For wrapping foods such as vegetable, fruit, meat, biscuit, etc. High clarity, puncture resistance, good elasticity Plastic food packaging film, widely known as cling film, has literally revolutionised the food industry. The need to keep food fresh and attractive looking, and also to allow quick visual identification, has led to the development of innovative cling films. This film finds domestic as well as institutional applications.

### Primary Competitive Advantages:-

- Packaging
- Quality Approvals
- Country Of Origin
- Price
- Reputation
- Distributorships Offered
- Guarantee / Warranty
- Product Features
- Service
- International Approvals
- Product Performance
- Small Orders Accepted
- Experienced Staff
- Prompt Delivery

### Key Specifications / Special Features:-

- Specifications : (1) 300 mm X 30 mtr/50 mtr/100 mtr  
(2) 300 mm X 200 mtr/300 mtr/400 mtr/500 mtr/600 mtr  
(3) 450 mm X 200 mtr/300 mtr/500 mtr/600 mtr
- OEM orders are welcomed.

## PVC Cling Film (Antifog):-

- **Width** : 300mm~450mm
- **Thickness** : 10mic~20mic
- **Length** : 30 mtr~600 mtr
- **Package** : Carton
- **Core logo** : Blank or customized
- **Core color** : Yellow or white
- **Transparency** : High
- **Deliver** : ETD within 60days
- **Payment Terms** : T/T or Irrevocable LC